NOV. 16. 2005 4:06PM 513 241 6234 NO. 9971 P. 3

Application Serial No. 10/462,870 Amendment dated November 16, 2005

Reply to Office Action of August 16, 2005

<u>LISTING OF CLAIMS:</u>

This listing of claims will replace all prior versions, and listings, of claims in

the application:

1. (currently amended) A method of forming a roofing membrane comprising applying

a seam tape along an edge of onto a sheet of membrane adapted for use as one of a

roofing membrane and a pond liner wherein said seam tape comprises a pressure

sensitive adhesive strip covered on a first surface with a release sheet said method

comprising applying wherein said seam tape is applied to a center portion of said sheet of

membrane by pressing a second surface of said seam tape against said sheet of

membrane and cutting said sheet of membrane into two sheets by cutting through said

sheet and through said seam tape along a central portion of said seam tape to form two

sheets of roofing membrane each having a continuous portion of said seam tape along one

edge.

2. (previously presented) The method claimed in claim 1 wherein said seam tape is

applied to said membrane and said membrane is cut simultaneously.

-2-

Application Serial No. 10/462,870 Amendment dated November 16, 2005 Reply to Office Action of August 16, 2005

3. (previously presented) The method claimed in claim 2 wherein said membrane is

supported on a surface, said surface having a central groove aligned with said center

portion of said membrane and wherein a seam tape applicator sheet slitter is run along

said membrane guided by said groove to simultaneously apply said seam tape and cut said

membrane.

4. (previously presented) An apparatus for applying seam tape along an edge of roofing

membrane said apparatus comprising

a seam tape applicator having a contact roll adapted to press seam tape

against a surface of said roofing membrane, said applicator supporting a roll of seam tape.

said seam tape comprising a pressure sensitive layer having first and second adhesive

surfaces and a release sheet covering one of said adhesive surfaces, and;

a slitter adapted to slit through said seam tape and said membrane; and

said apparatus further comprising a handle providing means to push said

apparatus over said roofing membrane.

5. (original) The apparatus claimed in claim 4 further comprising guides.

6. (original) The apparatus claimed in claim 5 wherein said guides comprise a plurality

of disks located along the central axis of said apparatus.

NOV. 16. 2005 4:06PM 513 241 6234 NO. 9971 P. 5

Application Serial No. 10/462,870 Amendment dated November 16, 2005 Reply to Office Action of August 16, 2005

7. (canceled)

8. (previously presented) The method claimed in claim 1 wherein said sheet of membrane

is EPDM.

9. (previously presented) An apparatus for applying seam tape along an edge of roofing

membrane, said apparatus comprising:

a seam tape applicator having a contact roll adapted to press seam tape

against the surface of said roofing membrane;

said applicator supporting a roll of seam tape;

said seam tape comprising a pressure sensitive layer having first and second

adhesive surfaces and a release sheet covering one of said adhesive surfaces;

a slitter adapted to slit through said seam tape and said membrane; and

guides comprising a plurality of disks located along a central axis of said

apparatus.

10. (new) A method of forming a pond liner membrane comprising applying a seam

tape onto a sheet of membrane adapted for use as a pond liner wherein said seam tape

comprises a pressure sensitive adhesive strip covered on a first surface with a release

sheet wherein said seam tape is applied to a center portion of said sheet of membrane by

-4-

NOV. 16. 2005 4:06PM 513 241 6234 NO. 9971 P. 6

Application Serial No. 10/462,870 Amendment dated November 16, 2005 Reply to Office Action of August 16, 2005

pressing a second surface of said seam tape against said sheet of membrane and cutting said sheet of membrane into two sheets by cutting through said sheet and through said seam tape along a central portion of said seam tape to form two sheets of pond liner membrane each having a continuous portion of said seam tape along one edge.